Report No: 20200310K04697

Product: EC72 Brushless DC Motor

Type: EC72AC 230V

Applicant: Suzhou Blauberg Motor Technology

Co., Ltd



CQC Intime Testing Technology Co., Ltd



Report No: 20200310K04697

Page 2 of 9

TEST REPORT

Product Name :	EC72 Brushless DC Motor		
Product Type:	EC72AC 230V		
Quantity:	2 pcs		
Applicant:	Suzhou Blauberg Motor Technology Co., Ltd		
Address:	Floor 2,Building12,No.2,Shuangdeng Road,Suzhou Industrial Park,China		
Manufacturer:	Suzhou Blauberg Motor Technology Co., Ltd		
Test Item:	IP Code Test(IP55)		
Reference Standard:	GB/T 4208-2017		
Deviation:	-		
Sample Receive Date:	2020/03/27		
Test Date:	2020/03/27~2020/03/28		
Test Result:	See chapter 1.5		
Test Site:	East Taihu Technology and Finance City, No.1368 Wuzhong Dadao Rd.,		
	Wuzhong Economic Development Zone, Suzhou, Jiangsu		
Remark:	-		
Editor: Wu Jiajia	Signature:	Date: 2020.04.10	
Auditor: Wang Pengxiang	Signature:	Date: 2020.04.10	
Approver: Zhao Runsheng	Signature:	Date: 2020.04.10	



Report No: 20200310K04697

Page 3 of 9

CONTENTS

1 IP CODE TEST(IP55)	4
1.1 America grammara Permum our mum	
1.1 ATMOSPHERIC ENVIRONMENT	
1.2 TEST EQUIPMENT	∠
1.3 TEST CONDITIONS	
1.4 REFERENCE STANDARD	∠
1.5 TEST RESULT	∠
1.6 TEST PICTURES	5
CTATEMENT OF DEDOOT	(



Report No: 20200310K04697

Page 4 of 9

1 IP Code Test(IP55)

1.1 Atmospheric Environment

Ambient Temperature:	15~35℃
Ambient Humidity:	25~75%RH
Air Pressure:	86~106kPa

1.2 Test Equipment

No.	Equipment Management No.	Test Equipment	Model	Expiration Date
1	ITCS06043	Sand test chamber	SC-0500	2020/11/19
2	ITC02K15001	Water supply system	SH8109B	2020/04/30
3	ITCS06080	Test needle	TRP-02	2020/05/30
4	ITCS06057-3	Push pull meter	SN-10	2020/05/30

1.3 Test Conditions

IP5X(Against ingress of solid foreign objects): The enclosure under test is supported in its normal operating position inside the test chamber, the test shall be continued for a period of 8 h, the protection is satisfactory if, on inspection, talcum powder has not accumulated in a quantity or location such that, as with any other kind of dust, it could interfere with the correct operation of the equipment or impair safety.

IP5X(Against access to hazardous parts): The access probe of 1.0 mm \emptyset shall not penetrate.

IPX5: The diameter of the nozzle is 6.3mm, the distance from nozzle to the sample is 2.5m, the water flow is 12.5L/min, spray the sample from all practicable directions with a stream of water from the nozzle, the test duration time is 10min(sample status: power on during test).

1.4 Reference Standard

GB/T 4208-2017

1.5 Test result

The sample can operate normally after test, and the access probe of 1.0 mm Ø can not penetrate.



Report No: 20200310K04697

Page 5 of 9

1.6 Test Pictures



Test sample-IPX5



During test-IPX5



Report No: 20200310K04697

Page 6 of 9



After IPX5-power on




Test sample-IP5X



Report No: 20200310K04697

Page 7 of 9



Sample setup-IP5X



After test-IP5X





Report No: 20200310K04697

Page 8 of 9



After IP5X-power on



Report No: 20200310K04697

Page 9 of 9

Statement of Report

- 1. The test report shall not be copied except in full, without written approval of the laboratory.
- 2. The test results are only effective for test samples.
- 3. If there is any objection to test results, please submit a written complaint to the company in 10 days since you receive the report.
- 4. The test samples must be taken back in 60 days since you receive the report, or the company reserves the right to dispose of samples.
- 5. This report does not serve as a basis for litigation, arbitration.

Test Lab: CQC Intime Testing Technology Co.,Ltd

HQ Add: East Taihu Technology and Finance City, No.1368 Wuzhong Dadao Rd., Wuzhong Economic Development Zone, Suzhou, Jiangsu.

Zip code :215104

Tel:0512-66303627

Fax:0512-66303625

Suzhou Xukou Laboratory Address: No.236 CaoFeng Rd., Xukou Town, Wuzhong District, Suzhou, Jiangsu

Cixi Office Address:Room 1020,Central Tower North Building 10th Floor,ShuiNanLu No.19, Cixi City, Zhejiang Province.

Tel:0574-63895313

Shenzhen Office Address: Floor 13A, Central Xigu Building, the 11th Street No.139, Futian

District New Zone, Shenzhen City.

Tel: 0755-82889188-8118

Guangzhou Office Address: No.201, ChiGangXiLu No.205, Haizhu Distrct, Guangzhou City.

Tel/Fax: 020-84147422

No Contents in the Following

----- http://www.cqc-it.com/ -----

ITC-4-K-002-E

. .